



OCEAN TOMO

全球专利在线竞价交易市场

LOT #169

Toxic Agent Detection System



OCEAN TOMO

BID-ASK™ MARKET

SYSTEM FOR SURVEILLANCE OF AN AREA WITHIN WHICH PEOPLE MOVE

Main Technological Area —→ Gas detection/sensing

Keyword —→ gas analysis | gas monitoring | gas concentration measuring | hollow optic fibre

The present invention relates to a system for surveillance of an area in which people or goods move (for example, airport or sea-port terminals, railway stations, large department stores, shopping centres, industrial plants, etc.) or at specific locations sensitive for security of an internal area that are difficult to access, such as, for example, the air-intake and conditioning ducts, in order to detect in a timely way the presence of toxic agents or explosive precursors in the air.

The system is intrinsically modular in that the basic elements (fibres and optical multiplexers) can be combined in different topologies depending on the extension of the area and its conformation.

The system, in its simplest structure, is composed of (a) a hollow optical fibre, which has been provided throughout its length with radial holes in order to allow gas circulation with outside (Figure 1), (b) a micro-pump, (c) an optical source, (d) an optical sensor, (e) a processing unit which examines the spectrum of the optical signal detected by the sensor.




Figure 1 – Hollow fibre with holes

TECHNICAL SPECIFICATIONS

The patented system is composed of a micro-pump that supplies a forced flow of air along the internal channel of hollow optical fibre that extends in the area to be monitored, and through a series of radial micro-holes drilled at regular intervals throughout its extension. It is through such radial holes that the micro-pump can exchange, in the central part of the hollow fibre, the air taken from the environment under observation. The system also includes an optical source placed at one end of the fibre and a sensor placed at the opposite end and such as to detect the optical signal that has traversed the hollow fibre in all of its length. A processing unit examines the spectrum of the optical signal detected by the sensors in order to verify the possible presence of toxic agents in the area under surveillance.

The sensor-line, which is composed of the elements described above, is a possible compromise between a grid of many sensor points and few but more complex remote sensors, the latter needed in order to obtain distributed detection capability in a rather complex environment.

The small number of system components allows a reduction of costs and a simplification of installation and maintenance.

In case of covering an area larger than the area which is controllable via a single hollow fibre (15/20 meters), using optical multiplexer-demultiplexers allows to keep low the number of optical sources and sensors used.



The system usually operates in the 3-15µm spectral band (mid-IR) where the signatures of most of the industrial toxic compounds (TIC: toxic industrial compound) and chemical agents used in war (CWA: chemical war agents) are located. Based on the system architecture described in the patent (hollow fibre and non-complex optical source), sensitivity of some ppm (part per million) or ppb (part per billion) can be reached, using more advanced lasers and sensors.

INNOVATION/ADVANTAGES

Point sensor networks (for example chemical or optical) for the detection of toxic agents in limited areas of the area subject to surveillance, have generally some limits:

- Complexity and high costs due to the use of a large number of interconnected parts. Such situation also occurs using optical point sensors which, even though ensuring continuous operation, sensitivity and selectivity, they are too expensive to be employed in large numbers;
- Difficulty in continuous monitoring; sensors generally need to switch between sampling mode and cleaning/reset status.

The invention feature a system for effective surveillance with high sensitivity and selectivity, in continuous mode, with a fast response time, while keeping low costs of implementation and installation, and leverages on:

- Reduced number of components, compared to systems having the same purposes;
- Flexibility and scalability, depending on the area to be monitored;
- Continuous monitoring capability by not adopting chemical-based detectors;
- Greater sensitivity with respect to systems using a source that radiates in free air;
- Simple alignment and calibration of the system with respect to other solutions;
- Ability to localize threats using simple topological schemes.

FIELDS OF APPLICATION

Homeland security	Surveillance of airport terminals, port terminals, railway stations, malls and industrial plants
Safety	Air monitoring in critical plants, research sites, public agencies
Health	Gas analysis modules in medical applications

PATENT INFORMATION

Priority Date - 05/03/2010

Priority Code - TO2010A00170

IPC Codes – G01J3/28 | G01N21/0303 | G01N21/05 | G01N21/3504 | G08B21/14

Active worldwide applications

EPO - EP2542877B1; filing date: 20/09/2012; grant date: 08/07/2015

National Extensions: Germany - France – United Kingdom – Italy – Netherlands – Poland – Spain – Sweden – Switzerland – Turkey

Russia - 2012142340 - 2555470; filing date: 05/10/2012; grant date: 10/07/2015

Israel - 221756; filing date: 03/09/2012; grant date: 01/10/2016

USA - US8664604; filing date: 08/11/2012; grant date: 04/03/2014

China - 201180012532.1; filing date: 04/03/2011; grant date: 10/06/2015

Brazil - BR1120120223151; filing date: 04/03/2011; grant date: 02/07/2019

United Arab Emirates - PCTIB2011000460; filing date: 04/03/2011; grant date: --/--/----

Leonardo internal code

LDO-0558

Welcome to the Ocean Tomo Bid-AskTM Market, the public voice brokerage platform for patent transactions.

欢迎来到 Ocean Tomo Bid-AskTM Market, 首个通过传统经纪人公开在线进行专利交易的全球化市场平台

For assistance using the platform, contact Bid-Ask@OceanTomo.com

平台使用帮助, 欢迎联系 Bid-Ask@OceanTomo.com

- Bid 竞价
- Ask 要价
- In Market (Lot Will Sell) 待拍品
- Price Spread 价差
- Sold 成交
- Transaction Pending

DOCUMENT PROCESSING SYSTEM
用户界面
LOTS: 64 专利拍品数量 SOURCE CODE 源代码
9 ASSETS 专利数量

CALL FOR TECHNOLOGY
对于技术的需求
SUBMIT PATENTS 提交专利

SEMICONDUCTOR MANUFACTURING TEST
半导体制造测试
LOT #167 167号专利包
18 ASSETS 18项资产

MEDIA CENTER
媒体中心
VIDEOS | NEWS | PRESS
视频 | 新闻 | 按

LOT NUMBER 拍品编号	DATA ROOM 数据服务室	PTO 知识产权局	NICKNAME 拍品名称	REPRESENTATIVE PATENT 专利	PRIORITY DATE 优先权日期	EVENT DATE* 活动日	BID USD/RMB*	BID EXP. DATE 竞价截止日	ASK USD/RMB*	ASK EXP. DATE 要价截止日	PRICE SPREAD
11-INN-167-22	11-INN-167-22	Global	Semiconductor Manufacturing Test 半导体制造测试	US10088520 B1	10/27/2015	11/3/2022			\$2,500,000 ¥18,072,000	3/03/2023	
10-GMS-166-22	10-GMS-166-22	US, AU, CA, CN, EU, KR	Raw Sample Genotyping (RSG) 原始样本基因分型 (RSG)	US8771951	11/16/2009	10/28/2022			\$2,025,000 ¥14,409,900	2/24/2023	
10-DIT-165-22	10-DIT-165-22	US	Automated Securities Trading System 自动化证券交易系统	US10181156	6/13/2012	10/18/2022			\$400,000 ¥2,764,760	2/15/2023	
09-IME-164-22		US	Energy Management System 能源管理系统	US8626344	8/21/2009	9/13/2022			\$695,000 ¥4,696,393	1/11/2023	

The Ocean Tomo Bid-AskTM Market (OTBA) was built to further enhance Intellectual Property (IP) liquidity and transaction transparency. OTBA serves a broad community of active buyers and sellers, providing a platform to purchase or sell patents and patent applications globally. This market is supported by Ocean Tomo Transactions and affiliate international voice brokers.

建立OTBA的目的是进一步促进IP资产流通性,提高了IP交易透明度。买卖双方通过 OTBA平台来购买或者出售全球专利权以及专利申请权, Ocean Tomo交易团队和旗下全球经纪人为平台提供线下提供服务支持, 以此建立活跃买卖双方的全球专利交易市场。



OCEAN TOMO®

A PART OF  JS|HELD

Contact

Layna Guo

Senior Research Analyst – Transaction Marketing

Ocean Tomo, LLC | Chicago, IL

E: layna.guo@jsheld.com

O: +1 312.327.8179